

Переклад Сертифікату аналізу № 97

Продукт: ПРОТАЛІС ФеміФолат
Серія: X0017A
Кількість: 14 552,00 уп.
Дата виготовлення: 01/2024
Краще спожити до кінця: 12/2026

Дата: 13.08.2024

Мікробіологія

Опис	Специфікація	Результат
Загальна аеробна кількість	$\leq 10^4$ КУО/г	Відповідає *
Дріжджі та цвіль	$\leq 10^2$ КУО/г	Відповідає *
Ентеробактерії	$\leq 10^2$ КУО/г	Відповідає *
Escherichia coli	Відсутність 1г	Відповідає *
Salmonella	Відсутність 10г	Відповідає *
Staphylococcus aureus	Відсутність 1г	Відповідає *
Listeria monocytogenes	Не виявлено 25г	Відповідає *

Додаткова інформація

Опис	Специфікація	Результат
Свинець	$\leq 3,0$ мг/кг	Відповідає *
Кадмій	$\leq 1,0$ мг/кг	Відповідає *
Ртуть	$\leq 0,1$ мг/кг	Відповідає *
Меламін	$\leq 2,5$ мг/кг	Відповідає *
Бензо (а) пірен	< 2 мкг/кг	Відповідає *
Сума бензо (а) пірену, бенз (а) антрацену, бензо (б) флуорантена та хризену	< 10 мкг/кг	Відповідає *

*Цим я підтверджую, що продукт відповідає технічним специфікаціям та відповідає вимогам безпеки харчових продуктів.
(Довідкові документи: сертифікат аналізу № 24-0151 від 02.02.2024)

Сертифікацію схвалено: William H. Wickham

13.08.2024



Delta Medical Promotions AG

Oetenbachgasse 26
8001 Zurich
Switzerland

CERTIFICATE OF ANALYSIS № 97

Product: PROTALIS FemiFolat

Batch: X0017A

Date: 13.08.2024

Quantity: 14 552,00 pcs.

Manufacturing date: 01/2024

Best before end: 12/2026

Microbiology

Description	Specification	Result
Total Aerobic count	$\leq 10^4$ CFU/g	Complies *
Yeast and Moulds	$\leq 10^2$ CFU/g	Complies *
Enterobacteriaceae	$\leq 10^2$ CFU/g	Complies *
Escherichia coli	Absence 1g	Complies *
Salmonella	Absence 10g	Complies *
Staphylococcus aureus	Absence 1g	Complies *
Listeria monocytogenes	Not detected 25g	Complies *

Additional information

Description	Specification	Result
Lead	$\leq 3,0$ mg/Kg	Complies *
Cadmium	$\leq 1,0$ mg/Kg	Complies *
Mercury	$\leq 0,1$ mg/Kg	Complies *
Melamine	$\leq 2,5$ mg/Kg	Complies *
Benzo (a) pyrene	< 2 μ g/Kg	Complies *
Sum of benzo (a) pyrene, benz (a) anthracene, benzo (b) fluoranthene and chrysene	< 10 μ g/Kg	Complies *

*I hereby certify that the product complies with technical specification and meets food safety requirements. (Reference documents: certificate of analysis № 24-0151 from 02.02.2024).

Certification approved:

William H. Wickham

13.08.2024

Wickham

