

Переклад Сертифікату аналізу № 86

Продукт: Зест Вітамін D3 2000, желатинові капсули №30
Серія: W1674
Кількість: 30 478,00 уп.
Дата виготовлення: 12/2023
Краще спожити до кінця: 11/2026

Дата: 09.04.2024

Мікробіологія

Опис	Специфікація	Результат
Загальна аеробна кількість	$\leq 10^4$ КУО/г	Відповідає *
Дріжджі та цвіль	$\leq 10^2$ КУО/г	Відповідає *
Ентеробактерії	$\leq 10^2$ КУО/г	Відповідає *
Escherichia coli	1г Відсутність	Відповідає *
Salmonella	10 г Відсутність	Відповідає *
Staphylococcus aureus	1 г Відсутність	Відповідає *
Listeria monocytogenes	25 г Відсутність	Відповідає *

Додаткова інформація

Опис	Специфікація	Результат
Свинець	≤ 3.0 мг/кг	Відповідає *
Кадмій	≤ 1.0 мг/кг	Відповідає *
Ртуть	≤ 0.1 мг/кг	Відповідає *
Меламін	≤ 2.5 мг/кг	Відповідає *
Бензо (а) пірен	< 2 мкг/кг	Відповідає *
Сума бензо (а) пірену, бенз (о) антрацену, бензо (б) флуорантена та хризену	< 10 мкг/кг	Відповідає *

*Цим я підтверджую, що продукт відповідає технічним специфікаціям та відповідає вимогам безпеки харчових продуктів.
(Довідкові документи: сертифікат аналізу № 24-0077 від 19.01.2024)

Сертифікацію схвалено: William H. Wickham

09.04.2024



Delta Medical Promotions AG

Oetenbachgasse 26
8001 Zurich
Switzerland

CERTIFICATE OF ANALYSIS № 86

Product: ZEST® Vitamin D3 2000, gelatin capsules №30
Batch: W1674
Quantity: 30 478,00 pcs.
Manufacturing date: 12/2023
Best before end: 11/2026

Date: 09.04.2024

Microbiology

Description	Specification	Result
Total Aerobic count	$\leq 10^4$ CFU/g	Complies *
Yeast and Molds	$\leq 10^2$ CFU/g	Complies *
Enterobacteriaceae	$\leq 10^2$ CFU/g	Complies *
Escherichia coli	1g Absence	Complies *
Salmonella	10 g Absence	Complies *
Staphylococcus aureus	1 g Absence	Complies *
Listeria monocytogenes	25 g Absence	Complies *

Additional information

Description	Specification	Result
Lead	≤ 3.0 mg/kg	Complies *
Cadmium	≤ 1.0 mg/kg	Complies *
Mercury	≤ 0.1 mg/kg	Complies *
Melamine	≤ 2.5 mg/kg	Complies *
Benzo (a) pyrene	< 2 µg/kg	Complies *
Sum of benzo (a) pyrene, benz (a) anthracene, benzo (b) fluoranthene and chrysene	< 10 µg/kg	Complies *

*I hereby certify that the product complies with technical specification and meets food safety requirements. (Reference documents: certificate of analysis № 24-0077 from 19.01.2024).

Certification approved: William H. Wickham

09.04.2024

Wickham

