

Переклад Сертифікату аналізу № 146

Продукт: Дієтична добавка ЗЕСТ Б'юті Гіалуро Комплекс, капсули №30

Серія: X0022

Дата: 14.03.2025

Кількість: 1 008,00 уп.

Дата виготовлення: 01/2024

Краще спожити до кінця: 12/2026

Мікробіологія

Опис	Специфікація	Результат
Загальна аеробна кількість 30°C	≤10 ⁴ КУО/г	Відповідає *
Дріжджі і цвіль	≤10 ² КУО/г	Відповідає *
Enterobacteriaceae	≤10 ² КУО/г	Відповідає *
Escherichia coli	1г Відсутність	Відповідає *
Salmonella	10 г Відсутність	Відповідає *
Staphylococcus aureus	1 г Відсутність	Відповідає *
Listeria monocytogenes	25 г Відсутність	Відповідає *

Додаткова інформація

Опис	Специфікація	Результат
Свинець	≤ 3.0 мг/кг	Відповідає *
Кадмій	≤ 1.0 мг/кг	Відповідає *
Ртуть	≤ 0.1 мг/кг	Відповідає *
Меламін	≤ 2.5 мг/кг	Відповідає *
Бензо (а) пірен	< 2 мкг/кг	Відповідає *
Сума бензо(а)пірену, бенз(а)антрацену, бензо(б)флюорантену і хризену	< 10 мкг/кг	Відповідає *

*Цим я підтверджую, що продукт відповідає технічним специфікаціям та відповідає вимогам безпеки харчових продуктів.
(Довідкові документи: сертифікат аналізу № 24-0152 від 02.02.2024)

Сертифікацію схвалено: William H. Wickham

14.03.2025



Delta Medical Promotions AG

Oetenbachgasse 26
8001 Zurich
Switzerland

CERTIFICATE OF ANALYSIS № 146

Product: Food supplement ZEST® BEAUTY HYALURO COMPLEX, capsules №30
Batch: X0022 Date: 14.03.2025
Quantity: 1 008,00 pcs.
Manufacturing date: 01/2024
Best before end: 12/2026

Microbiology

Description	Specification	Result
Aerobic 30°C, count	$\leq 10^4$ CFU/g	Complies *
Yeasts and Moulds	$\leq 10^2$ CFU/g	Complies *
Enterobacteriaceae	$\leq 10^2$ CFU/g	Complies *
Escherichia coli	1g Absence	Complies *
Salmonella	10 g Absence	Complies *
Staphylococcus aureus	1 g Absence	Complies *
Listeria monocytogenes	25 g Absence	Complies *

Additional information

Description	Specification	Result
Lead	≤ 3.0 mg/kg	Complies *
Cadmium	≤ 1.0 mg/kg	Complies *
Mercury	≤ 0.1 mg/kg	Complies *
Melamine	≤ 2.5 mg/kg	Complies *
Benzo (a) pyrene	< 2 µg/kg	Complies *
Sum of benzo(a)pyrene, benz (a) anthracene, benzo(b)fluoranthene and chrysene	< 10 µg/kg	Complies *

*I hereby certify that the product complies with technical specification and meets food safety requirements. (Reference documents: certificate of analysis № 24-0152 from 02.02.2024).

Certification approved: William H. Wickham

14.03.2025

Wickham

