

Delta Medical Promotions AG

Oetenbachgasse 26
8001 Zurich
Switzerland

CERTIFICATE OF ANALYSIS № 155

Product: Food Supplement Zest® Vitamin D3 4000 IU + K2, capsules No.30

Batch: X1332

Date: 01.04.2025

Quantity: 30 587,00 pcs.

Manufacturing date: 10/2024

Best before end: 09/2027

Microbiology

Description	Specification	Result
Aerobic 30°C, count	≤10 ⁴ CFU/g	Complies *
Yeasts and Moulds	≤10 ² CFU/g	Complies *
Enterobacteriaceae	≤10 ² CFU/g	Complies *
Escherichia coli	1g Absence	Complies *
Salmonella	10 g Absence	Complies *
Staphylococcus aureus	1 g Absence	Complies *
Listeria monocytogenes	25 g Absence	Complies *

Additional information

Description	Specification	Result
Lead	≤ 3.0 mg/kg	Complies *
Cadmium	≤ 1.0 mg/kg	Complies *
Mercury	≤ 0.1 mg/kg	Complies *
Melamine	≤ 2.5 mg/kg	Complies *
Benzo(a)pyrene	< 2 µg/kg	Complies *
Sum of benzo(a)pyrene, benz(a)anthracene, benzo(b)fluoranthene and chrysene	< 10 µg/kg	Complies *
Sum of aflatoxins B1, B2, G1, G2.	≤ 10 µg/kg	Complies *
Aflatoxin B1	≤ 5 µg/kg	Complies *

*I hereby certify that the product complies with technical specification and meets food safety requirements. (Reference documents: certificate of analysis № CA24-1758 from 22.11.2024).

Certification approved: William H. Wickham

01.04.2025

Wickham



Переклад Сертифікату аналізу № 155

Продукт: Дієтична добавка Зест Вітамін D3 4000 IU (МО) + K2, капсули №30
Серія: X1332 Дата: 01.04.2025
Кількість: 30 587,00 уп.
Дата виготовлення: 10/2024
Краще спожити до кінця: 09/2027

Мікробіологія

Опис	Специфікація	Результат
Загальна аеробна кількість 30°C	$\leq 10^4$ КУО/г	Відповідає *
Дріжджі і цвіль	$\leq 10^2$ КУО/г	Відповідає *
Enterobacteriaceae	$\leq 10^2$ КУО/г	Відповідає *
Escherichia coli	1г Відсутність	Відповідає *
Salmonella	10 г Відсутність	Відповідає *
Staphylococcus aureus	1 г Відсутність	Відповідає *
Listeria monocytogenes	25 г Відсутність	Відповідає *

Додаткова інформація

Опис	Специфікація	Результат
Свинець	≤ 3.0 мг/кг	Відповідає *
Кадмій	≤ 1.0 мг/кг	Відповідає *
Ртуть	≤ 0.1 мг/кг	Відповідає *
Меламін	≤ 2.5 мг/кг	Відповідає *
Бензо(а)пірен	< 2 мкг/кг	Відповідає *
Сума бензо(а)пірену, бенз(а)антрацену, бензо(b)флюорантену і хризену	< 10 мкг/кг	Відповідає *
Сума афлатоксинів B1, B2, G1, G2.	≤ 10 мкг/кг	Відповідає *
Афлатоксин B1	≤ 5 мкг/кг	Відповідає *

*Цим я підтверджую, що продукт відповідає технічним специфікаціям та відповідає вимогам безпеки харчових продуктів.
(Довідкові документи: сертифікат аналізу № CA24-1758 від 22.11.2024)

Сертифікацію схвалено: William H. Wickham

01.04.2025

