

Переклад Сертифікату аналізу № 216

Продукт: Дієтична добавка Аргетт СУДО таблетки №60

Серія: T188720250037

Дата: 31.10.2025

Кількість: 21 562,00 уп.

Дата виготовлення: 05/2025

Краще спожити до кінця: 04/2028

Мікробіологія

Опис	Специфікація	Результат
Загальна кількість бактерій	≤ 30000 КУО/г	Відповідає *
Кількість колиформних бактерій	≤ 0.92 НЙЧ/г	Відповідає *
Цвіль і дріжджі	≤ 50 КУО/г	Відповідає *
<i>Staphylococcus aureus</i>	25 г Відсутність	Відповідає *
<i>Salmonella</i>	25 г Відсутність	Відповідає *

Додаткова інформація

Опис	Специфікація	Результат
Свинець	≤ 2.0 мг/кг	Відповідає *
Миш'як	≤ 1.0 мг/кг	Відповідає *
Ртуть	≤ 0.1 мг/кг	Відповідає *
Бензо(а)пірен	≤ 1.0 мкг/кг	Відповідає *
Сума бензо(а)пірену, бенз(а)антрацену, бензо(b)флюорантена і хризену	≤ 10 мкг/кг	Відповідає *
Меламін	≤ 1.0 мг/кг	Відповідає *

*Цим я підтверджую, що продукт відповідає технічним специфікаціям та відповідає вимогам безпеки харчових продуктів.
(Довідкові документи: сертифікат аналізу № С-250801402 від 01.08.2025, декларація № б/н від 23.07.2025)

Сертифікацію схвалено: William H. Wickham

31.10.2025



Delta Medical Promotions AG

Oetenbachgasse 26
8001 Zurich
Switzerland

CERTIFICATE OF ANALYSIS № 216

Product: Dietary supplement Argett SUDO tablets №60

Batch: T188720250037

Date: 31.10.2025

Quantity: 21 562,00 pcs.

Manufacturing date: 05/2025

Best before end: 04/2028

Microbiology

Description	Specification	Result
Total bacteria counts	≤ 30000 CFU/g	Complies *
Coliform bacteria counts	≤ 0.92 MPN/g	Complies *
Moulds and yeast	≤ 50 CFU/g	Complies *
Staphylococcus aureus	25 g Absence	Complies *
Salmonella	25 g Absence	Complies *

Additional information

Description	Specification	Result
Lead	≤ 2.0 mg/kg	Complies *
Arsenic	≤ 1.0 mg/kg	Complies *
Mercury	≤ 0.1 mg/kg	Complies *
Benzo(a)pyrene	≤ 1.0 µg/kg	Complies *
Sum of benzo(a)pyrene, benz(a)anthracene, benzo(b) fluoranthene and chrysene	≤ 10 µg/kg	Complies *
Melamine	≤ 1.0 mg/kg	Complies *

*I hereby certify that the product complies with technical specification and meets food safety requirements. (Reference documents: certificate of analysis № C-250801402 from 01.08.2025, statement № n/a from 23.07.2025).

Certification approved: *William H. Wickham*

31.10.2025

Wickham

